DC-VC4K-EI



DESCRIPTION:

Achieve seamless communication and collaboration with the DGX DC-VC4K-E1, a professional-grade 4K video conferencing camera featuring an innovative expansion microphone system. This meticulously designed solution caters specifically to small and medium meeting rooms, ensuring pristine visual clarity and exceptional audio capture for every participant.

The DGX DC-VC4K-E1 boasts a state-of-the-art 4K ultra-high-definition image sensor with EPTZ (electronic pan, tilt, and zoom) functionality. This empowers users with detailed close-ups and flexible framing capabilities, optimizing the visual experience within any meeting space. Beyond the exceptional image quality, the DGX DC-VC4K-E1 leverages cutting-edge third-generation full-duplex voice communication technology. This translates to dual high-fidelity 5W speakers for crystal-clear audio delivery, complemented by a system of up to four wireless omnidirectional microphones. Each microphone boasts an impressive pickup range of at least 2 meters and incorporates flexible movement, ensuring clear capture of even the most distant voices.

FEATURES:

- **4K Sharpness:** See every detail with a stunning 4K camera, perfect for presentations and remote teamwork.
- Flexible Framing: EPTZ controls let you adjust the view for any meeting room layout.
- Powerful Audio: Dual 5W speakers and wireless mics (up to 4) ensure everyone is heard clearly, even in large rooms.
- Crystal-Clear Calls: Advanced noise cancellation keeps background noise out of your meetings.
- Long-Lasting Mics: Wireless mics stay charged for up to 3 months on standby and 4 hours of use, with fast charging for worry-free meetings.
- **Simple Setup:** Just plug in the USB cable no drivers needed.
- Mount Anywhere: Desk, wall, or hanging choose the perfect fit for your space.



4K Video Conference Camera With Expansion Microphone


SPECIFICATION:

Model	DC-VC4K-E1
Lens	4K
EPTZ	3X
HOV	105.6 Degree
Effective Pixel	8.0 Megapixels
Sensor	1/2.8" SONY CMOS
Interface	USB2.0
Other	Scene Adaptation (AI), Picture in Picture (PIP)


Front View

Functions LEDs indicator

The indicator lights up when using the device.



Rear View



DC IN 12V Power supply interface For connecting USB2.0 Cable







4K Video Conference Camera With Expansion Microphone


Top View

Functions of the buttons on the top




HOV: 105.6°








4K Video Conference Camera With Expansion Microphone







Disclaimer: As per our company policy one of the constant product improvements the right is there for reserved to modify the product specification without prior notice and the picture shown in the datasheet is a design base, the actual picture may vary.

