

Audio Lectern Podium

DPL-AP02



DESCRIPTION:

Heinrich's Audio Lectern Podium - the ultimate tool for powerful and engaging presentations! With its built-in amplifier and speaker, you can be sure that your voice will be heard crystal clear. The flexible gooseneck microphone and light provide convenience and adaptability to suit your needs.

Expanding its capacity is a breeze with multiple input and output connections, allowing you to connect additional devices seamlessly. Available in a sleek black finish, this podium exudes professionalism and elegance. Equipped with a robust 60W amplifier, one tweeter, three 5" woofers, and a built-in microphone, the audio quality is top-notch. The flexible gooseneck microphone and lamp offer versatility in positioning for optimal performance. With two VHF handheld wireless microphones included, you can effortlessly reach an impressive range of up to 50 meters. No more limitations to movement or tangled wires.

The audio lectern podium boasts a durable construction featuring a wooden top and steel bottom with a steel body for long-lasting reliability. It also offers convenient HDMI input and output ports for seamless connectivity with other devices. With a rated power output of 60W, this podium ensures powerful sound projection.

The microphone length measures 57cm, while the lamp length extends up to 45cm. Upgrade your presentations with the Audio Lectern Podium - the perfect blend of functionality, versatility, and style. Take control of your audience's attention like never before!

Audio Lectern Podium


FEATURES:

- It includes a built-in amplifier and speaker.
- A Flexible gooseneck microphone and light are provided as well.
- A number of Input and Output connections make it easy to expand its capacity. Available in black Finish.
- Built-in 60W amplifier, One tweeter and three 5" woofers and built-in MIC.
- Flexible gooseneck MIC's and lamp
- Two MIC's Inputs, one line Input and. four AUX Inputs.
- With two VHF handholds wireless MIC's, maximum range 50 Meters.
- Finish : Black
- 60W rated power output.
- MIC length: 57cm; Lamp length: 45cm.
- Wooden Top and Steel bottom, Steel body.
- With HDM1 Input port and Output port

SPECIFICATION:

Power Require	-220V/50Hz
Power Consumption	100W
Frequency Response	100Hz~16KHz
Rated Power	60W
Output	IV/0dB
Tone Control	Bass 20dB/Treble 20dB
Range	15-50m
Dimensions	1190 x 670 x 720mm (HxLxW)
Net Weight	29kg
Input	MIC1 : -50dB+2dB1.5/680KQ MIC2 : -55dB+2dB1.5/600KQ LINE : -20dB+2dB1.5/50Q AUX: 1. -20dB+2dB1.5/10KQ 2. -15dB+2dB1.5/30KQ 3. -10dB+2dB1.5/50KQ 4. -3dB+2dB1.5/80KQ

Audio Lectern Podium



Disclaimer: As per our company policy one of the constant product improvements the right is there for reserved to modify the product specification without prior notice and the picture shown in the datasheet is a design base, the actual picture may vary.