

Digital Standard Podium Lectern

DPL-SP03



DESCRIPTION:

DGX Digital Podium is the pinnacle of sustainability and functionality for modern presentations and speaking engagements. This meticulously designed podium offers a comprehensive suite of features to enhance your speaking experience. From the lockable console ensuring the security of your equipment to the intuitive multimedia controller for seamless navigation, and the motorized tilted 22-inch capacitive touch or EMR touch display for optimal visibility, every detail is meticulously designed to elevate your presentations. With integrated power management, you can stay organized and powered up throughout your presentation. The podium also includes a gooseneck microphone, wireless microphone options, and both wired or wireless keyboard configurations for flexible input and control. Seamlessly connect external devices using the dedicated output port, and store your PC and other AV hardware with ease thanks to the built-in 19-inch rack.

FEATURES:

- Lockable console for secure equipment storage.
- Multimedia controller for seamless navigation.
- Power management functionality for uninterrupted operation.
- Motorized tilted 22-inch capacitive touch or EMR touch display for optimal visibility.
- Gooseneck microphone for clear audio communication.
- Wireless microphone options for flexibility.
- Wired or wireless keyboard configurations for convenient input.
- Visualise feature for enhanced presentation visuals.
- Integrated amplifier-speaker system for impactful audio delivery.
- External output port for additional connectivity options.
- 19-inch rack for PC and other AV hardware storage.

Digital Standard Podium Lectern

SPECIFICATION:

CHASSIS	
Type of chassis/Frame	Metallic
Mount Type	Floor Mounted
Material of chassis	Mild Steel
Thickness of Enclosure (mm)	1.5 mm (Min) Stainless Steel Sheet
Drawers / Cabinets	Yes
If yes, Lockable	Yes
DISPLAY	
Display Size	21.5 Inches
Maximum Resolution	(Full HD) 1920 x 1080@60 HZ
Aspect Ratio	16:9
Response Time	8 ms
Colour Supported	16.7 Million
Brightness	250 cd / M2
Backlight	LED
Viewing Angles	178° (Horizontal), 178° (Vertical)
Panel Type	VA (Vertical Alignment)
Stand	Tilt (10° ~ 90°)
Speakers	2 x 1W
Ports & Connector	VGA HDMI R-IN 1xUSB 2.0 up Stream 2xUSB 2.0 Down Stream
SYSTEM DETAILS	
Processor Make	Intel
Processor Series	Intel Core i3,i5,i7
Processor Configuration	Generation 6/7/8/9/10/11/12
Operating system (pre-Loaded)	Windows 10
Antivirus With 1 year License	Available
RAM Memory (GB)	4
Storage / HDD (GB)	1024
Built-In Standard Keyboard	Available
Built-In Mouse	Available
BUILT-IN DEVICES	
Optical Disk Drive Compatibility	Yes
Inbuilt Speakers	Available
Numbers of Speakers	2

Digital Standard Podium Lectern

Wattage of Each Speaker	50W
Central Control Panel	Available
Gooseneck Mic	1
Wireless Mic	1
Handheld Mic	1
Wireless Receiver	1
Amplifier	Available
Amplifier Wattage	50W
CONSOLE PANEL PORTS	
USB 2	2
USB 3	0
VGA Ports	1
HDMI Ports	1
Video Pin	1
Rj45	1
Power Backup Min 30 Minutes	UPS Supplied
Cooling System	Available
GENERIC INFORMATION	
Maximum Power Consumption	120W
Operating Temperature Range	May -45°C
Operating Humidity	40° @90% RH non condensing
Storage Humidity	85% RH non condensing
Overall Dimension	730cm x 670cm x 1260cm
Weight	95Kg
On Site OEM Warranty In Years	3
Storage Temperature	-10°C to 55°C
VISUALISER	
Technology	CMOS
Resolution (pixels)	8 MP
Video Frame Rates (FPS)	30
Optical Zoom	22x
Shooting Area (mm)	A4
Focussing Arrangement	Auto & Manual Both
Layout	Landscape & Portrait Both
Lens Focal Length (mm)	1.3mm

Digital Standard Podium Lectern

Digital Magnification	12x
Image Memory	240 Numbers of Images
Image RotTion Facility	180°C
Light Source	White Led
Life of Lamp Used (years)	1
USB Port (Number)	1
VGA Port (Number)	2
DVI-1 Port (Number)	0
HDMI Port (Number)	2
RS 232 Port (Number)	1
Network Connectivity	No
Full Function remote Control	Yes
Light Box	Yes
Accessories	Yes
Operating emperature Range	0~50°C
Operating Humidity	0~90°C
Dimension	410 X 370 X 555mm
Weight	5.5 Kg



Gooseneck Mic Provision



Space for Internal Accessories




External Face Plate



Screen Tilt Control



Motorised Screen Tilt Mechanism



Multimedia Controller



Gooseneck Mic with Vol. Control & USB

Disclaimer: As per our company policy one of the constant product improvements the right is there for reserved to modify the product specification without prior notice and the picture shown in the datasheet is a design base, the actual picture may vary.